	Application No.	Applicant(s)
Notice of Allowability	40/009 046	DUDADELIA ET AL
	10/008,946 Examiner	RUPARELIA ET AL. Art Unit
	Kar B	
	Kristin Derwich	2132
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to communications filed November 11, 2005.		
2. The allowed claim(s) is/are <u>1-9</u> .		
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) ☐ All b) ☐ Some* c) ☐ None of the:		
Certified copies of the priority documents have been received.		
Certified copies of the priority documents have been received in Application No		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s)	E - Notice of Informal F	Detect Application (DTO 450)
1. Notice of References Cited (PTO-892)		Patent Application (PTO-152)
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. ☐ Interview Summary Paper No./Mail Da	te .
 Information Disclosure Statements (PTO-1449 or PTO/SB/08 Paper No./Mail Date 	B), 7. Examiner's Amendr	ment/Comment
Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's Stateme	ent of Reasons for Allowance
C. Livingious material	9. Other	
•		
·		

DETAILED ACTION

Response to Arguments

1. Applicant's arguments, see pg. 6, 3rd paragraph, filed December 3, 2005, with respect to claims 1-9 have been fully considered and are persuasive based on the claims as amended. The rejection of claims 1-9 have been withdrawn.

Allowable Subject Matter

2. The following is an examiner's statement of reasons for allowance:

In reference to claim 1:

Amendments to the claims overcome the prior art rejections made in the previous office action. Applicant's arguments with respect to the comparator being arranged upon the programmable logic device were persuasive over the prior art. The prior art of record (Parlour, U.S. 6,904,527) disclosed the comparison occurring on a license manager which resides on a separate computer system and not on the programmable logic device. Parlour failed to teach the comparison of the embedded code residing on the programmable logic device with a software identifier happening on the programmable logic device.

None of the other references cited in the prior action combine with Parlour to disclose the amended limitations to claim 1. An updated search did not uncover any new prior art. Parlour, Allen and Animi are the closest art of record. No art disclosing, nor motivation to combine has been found which recites the comparison of the embedded code residing on the programmable logic device with a software identifier happening on the programmable logic device. It is most common in the art for the comparison to be done elsewhere since the programmable logic

Application/Control Number: 10/008,946 Page 3

Art Unit: 2132

devices are made to be as flexible as possible. All other pending claims are dependent upon allowable claim 1 and are allowable for that reason.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Kristin Derwich whose telephone number is 571-272-7958. The examiner can normally be reached on Monday - Friday, 8:00-5:30.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Gilberto Barron can be reached on 571-272-3799. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Kristin Derwich Examiner Art Unit 2132

GILBERTO BARRON VA.
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2100

(M) KMD